

TECHNICAL DATA SHEET

Article No. 8229

Rappaport Vassiliadis Broth

SYNONYMS

Rappaport Vassiliadis R10 Broth, RVS Broth

SPECIFICATION

Liquid medium for the selective enrichment of *Salmonella* in foodstuffs and other samples, according to ISO and FIL-IDF standards.

FORMULA* IN G/L

Soy peptone	4.500
Sodium chloride	7.200
Monopotassium phosphate	1.260
Dipotassium phosphate	0.180
Magnesium chloride (anhydrous)	13.40
Malachite green	0.036

Final pH 5.2 ±0.2 at 25 °Cx

*Adjusted and/or supplemented as required to meet performance criteria.

DIRECTIONS

Suspend 26.8 g of powder in 1 l of distilled water. Heat up if necessary. Distribute into tubes or flasks and sterilize by autoclaving at 115 °C for 15 minutes.

DESCRIPTION

The Rappaport Vassiliadis medium complies with the recommendations of the APHA for the examination of food. This culture medium is a modification of the R10 Medium (from Rappaport et al.) or RV Broth (from Vassiliadis et al.) by van Schothorstand Renaud. The modifications are an adjustment in the magnesium chloride concentration and the buffering capacity of the medium to aid pH maintenance during storage. It shows a higher selectivity towards *Salmonella* and produces better yields than other similar media, especially after preliminary enrichment and at an incubation temperature of 41 ±0.5 °C.

Th. Geyer GmbH & Co. KG

Dornierstr. 4 – 6
D-71272 Renningen
Tel.: +49 7159 1637-0
Fax: +49 7159 1637-710
renningen@thgeyer.de
www.thgeyer.de

BW-Bank (Swift/BIC SOLADEST600)
IBAN DE85600501010002036302
Postbank Stuttgart (Swift/BIC PBNKDEFFXXX)
IBAN DE3260010070000020708
Deutsche Bank (Swift/BIC DEUTDESSXXX)
IBAN DE06600700700125518100

St.-Nr. 70093/40018 / USt-IdNr. DE147510304
Amtsgericht Stuttgart / HRA-Nr. 254140
Persönlich haftende Gesellschafterin:
Geyer Beteiligungsgesellschaft mbH
Amtsgericht Stuttgart / HRB-Nr. 252035
Geschäftsführer: Lutz-Alexander Geyer / Thomas Roth

Malachite green, low pH and magnesium chloride inhibit the growth of microorganisms normally found in the intestine but do not affect the proliferation of most *Salmonella*. As malachite green inhibits the growth of *Shigella*, other culture methods may need to be used to isolate this organism. The addition of soy peptone enhances the growth of *Salmonella*.

TECHNIQUE

Inoculate the culture medium with the sample or material from a pre-enriched culture in buffered Peptone Water and incubate for up to 18-24 hours at 41.5 ± 1 °C. Subculture from this broth onto selective culture media.

QUALITY CONTROL

- Incubation temperature: 41.5 ±1 °C
- Incubation time: 24 ±3 h
- Inoculum: Practical range 100 ±20 CFU. Min. 50 CFU (productivity)/ 10^4 - 10^6 CFU (selectivity), according to ISO 11133:2014.

Microorganism	Growth	Remarks
<i>Enterococcus faecalis</i> ATCC® 29212	Total inhibition	Recovery in TSA
<i>Escherichia coli</i> ATCC® 25922	Partial inhibition	Recovery in TSA
<i>Salmonella abony</i> NCTC® 6017 + 6 + 7	Good	Recovery in XLD (mixed cultures)
<i>S. enteritidis</i> ATCC® 13076 + 6 + 7	Good	Recovery in XLD (mixed cultures)
<i>S. typhimurium</i> ATCC® 14028 + 6 + 7	Good	Recovery in XLD (mixed cultures)
<i>Escherichia coli</i> ATCC® 8739	Inhibited	Recovery in XLD
<i>Pseudomonas aeruginosa</i> ATCC® 27853	Inhibited	Recovery in XLD

REFERENCES

- ATLAS, R.M., L.C. PARKS (1993) Handbook of Microbiological Media. CRC Press, Inc. London.
- DOWNES, F.P. & K. ITO (2001) Compendium of Methods for the Examination of Foods. 4th ed. APHA. Washington. USA.
- FDA (Food and Drug Administrations) US (1998) Bacteriological Analytical Manual. 8th ed. Revision A. AOAC International. Gaithersburg. MD. USA.
- FIL-IDF 93:2001 Standard. Milk and Milk Products. Detection of *Salmonella*. Brussels.
- HORWITZ, W. (2000) Official Methods of Analysis of AOAC International. Gaithersburg. MD. USA.
- ISO Standard 6579-1 (2017) Microbiology of food chain - Horizontal method for the detection, enumeration and serotyping of *Salmonella* - Part 1: Detection of *Salmonella* spp.

Th. Geyer GmbH & Co. KG

Dornierstr. 4 – 6
D-71272 Renningen
Tel.: +49 7159 1637-0
Fax: +49 7159 1637-710
renningen@thgeyer.de
www.thgeyer.de

BW-Bank (Swift/BIC SOLADEST600)
IBAN DE85600501010002036302
Postbank Stuttgart (Swift/BIC PBNKDEFF333)
IBAN DE32600100700000020708
Deutsche Bank (Swift/BIC DEUTDE33XXX)
IBAN DE06600700700125518100

St.-Nr. 70093/40018 / USt-IdNr. DE147510304
Amtsgericht Stuttgart / HRA-Nr. 254140
Persönlich haftende Gesellschafterin:
Geyer Beteiligungsgesellschaft mbH
Amtsgericht Stuttgart / HRB-Nr. 252035
Geschäftsführer: Lutz-Alexander Geyer / Thomas Roth

- ISO 6785:2001 Standard. Milk and Milk Products. Detection of Salmonella.
- ISO 11133:2014. Microbiology of food, animal feed and water. Preparation, production, storage and performance testing of culture media.
- RAPPAPORT, F., N. KONFORTI & B. NAVON (1956) A new enrichment medium for certain salmonellae. J. Clin. Pathol. 9:261-266.
- VAN SCHOTHORST, M. & A.M. RENAUD (1983) Dynamics of Salmonella isolation with modified Rappaport's Medium (R10). J. appl. Bact. 54:209-215.
- VASSILIADIS, P. (1983) The Rappaport Vassiliadis (RV) enrichment medium for the isolation of salmonellas: An overview. J. Appl. Bact. 54:69-76.
- VASSILIADIS, P., PATERAKI, EPAPAICONOMOU, N., PAPADAKIS, J.A.A., TICHOPOULOS, D. (1976) Nouveau procédé d'enrichissement de Salmonella. Ann. Microbiol. (Inst. Pasteur) 127B (195-200).

STORAGE

Keep tightly closed, away from light, in a dry place (4-30 °C).

SHELF LIFE

4 years from date of production.

Th. Geyer GmbH & Co. KG

Dornierstr. 4 – 6
D-71272 Renningen
Tel.: +49 7159 1637-0
Fax: +49 7159 1637-710
renningen@thgeyer.de
www.thgeyer.de

BW-Bank (Swift/BIC SOLADEST600)
IBAN DE85600501010002036302
Postbank Stuttgart (Swift/BIC PBNKDEFFXXX)
IBAN DE32600100700000020708
Deutsche Bank (Swift/BIC DEUTDESSXXX)
IBAN DE06600700700125518100

St.-Nr. 70093/40018 / USt-IdNr. DE147510304
Amtsgericht Stuttgart / HRA-Nr. 254140
Persönlich haftende Gesellschafterin:
Geyer Beteiligungsgesellschaft mbH
Amtsgericht Stuttgart / HRB-Nr. 252035
Geschäftsführer: Lutz-Alexander Geyer / Thomas Roth