Certificate of Analysis



An ISO 9001 Certified Company

IPTG (Isopropyl β -D-thiogalatopyranoside)

| PRODUCT NUMBER | |
|----------------|------|
| IB02100 | 1gm |
| IB02105 | 5gm |
| IB02125 | 25gm |
| | • |

| LOT NO. | |
|---------|---------|
| Lot# | 20A0150 |
| | |

CAS NO. CAS#

STORAGE

Store dessicated at -20°C. Warm to room temperature before opening. Keep tightly sealed.

| PECIFICATIONS | Specification | Analysis | Disposition |
|-------------------------------|---------------|---------------|-------------|
| Abs. @300nm (5%, water) | ≤ 0.13 | 0.05 | PASS |
| Abs. @400nm (5%, water) | ≤ 0.06 | 0.01 | PASS |
| Dioxane Test | PASS / FAIL | PASS | PASS |
| Identification (IR) | PASS / FAIL | PASS | PASS |
| Melting Point | 110 - 114°C | 112°C | PASS |
| Moisture (KF) | ≤ 1.0% | 0.3% | PASS |
| pH (5%, water) @ 25°C | 5 - 7 | 6 | PASS |
| Purity | ≥ 99.0% | 99.6% | PASS |
| Solubility (5%, water) | PASS / FAIL | PASS | PASS |
| Specific Rotation (1%, water) | -3429 degrees | -31.0 degrees | PASS |

DATE OF

Manufacture Date: 10/01/2018 Reassay Date: 10/31/2021

CERTIFICATION

We certify that this batch conforms to the specifications listed above and has been reviewed by a quality representative. This document has been electronically produced and signed by IBI SCIENTIFIC.

Toby Frericks Quality Control

FOR RESEARCH AND DEVELOPMENT PURPOSES ONLY

Building Quality Scientific.