

# Certificate of Analysis



SCIENTIFIC

800-253-4942 • [IBISCI.com](http://IBISCI.com)

An ISO 9001 Certified Company

## TERRIFIC BROTH

### PRODUCT NUMBER

IB49140 \_\_\_\_\_ 500gm  
IB49141 \_\_\_\_\_ 2kg  
IB49142 \_\_\_\_\_ 10kg

### LOT NO.

Lot# \_\_\_\_\_ 20A3015

### CAS NO.

CAS# \_\_\_\_\_ N/A

### STORAGE

Store at room temperature. Keep tightly sealed. Protect from moisture and light.

### SPECIFICATIONS

	Specification	Analysis	Disposition
Appearance, Homogeneous free flowing powder	PASS / FAIL	PASS	PASS
Color	Light Beige	PASS	PASS
PPM Appearance	Clear, no light ppt	PASS	PASS
pH (2% solution @ 25°C)	6.8 - 7.2	7.28	PASS
<i>Esherichia coli</i> ATCC 23724	EXCELLENT/GOOD/POOR	EXCELLENT	PASS
<i>Esherichia coli</i> ATCC 33694	EXCELLENT/GOOD/POOR	EXCELLENT	PASS
<i>Esherichia coli</i> ATCC 33849	EXCELLENT/GOOD/POOR	EXCELLENT	PASS
<i>Esherichia coli</i> ATCC 39403	EXCELLENT/GOOD/POOR	EXCELLENT	PASS
<i>Esherichia coli</i> ATCC 47014	EXCELLENT/GOOD/POOR	EXCELLENT	PASS
<i>Esherichia coli</i> ATCC 53868	EXCELLENT/GOOD/POOR	EXCELLENT	PASS

### DATE OF

Expiration Date: \_\_\_\_\_ 12/2023

Manufacture Date: \_\_\_\_\_ 12/2019

### CERTIFICATION

We certify that this batch conforms to the specifications listed above and has been reviewed by a quality representative. This document has been electronically produced and signed by IBI SCIENTIFIC.

Toby Frericks  
Quality Control

01/17/20  
Date

FOR RESEARCH AND DEVELOPMENT PURPOSES ONLY

Building Quality Scientific.

IBI SCIENTIFIC • 7445 Chavenelle Road • Dubuque, IA 52002-9664 • USA